



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rclds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 1



Location: City Hall
Photo # 1

Field Condition

AA.04 - Modifications to Program Policies and Practices - Staff members are not aware that modification to program policies and practices may be necessary to enable persons with disabilities to participate and benefit from the program, service and/or activity.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(b)(7)

Corrective Action

AA04 - Modifications to Program Policies and Practices - Inform staff members and volunteers on appropriate modifications to program policies and practices to enable persons with disabilities to participate and benefit from the program, service and/or activity.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:

Keynote 2



Location: City Hall
Photo # 1

Field Condition

AA.05 - Reasonable Modifications - The public has not been informed that reasonable modifications to a program, service and/or activity is possible.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(b)(7)

Corrective Action

AA05 - Reasonable Modifications - Inform the public once a plan with procedures to make reasonable modifications to a program, service and/or activity is established.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rclds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 3



Location: City Hall
Photo # 1

Field Condition

AA.06 - Process for Determining Modifications - The programs, services and/or activities do not have a process for determining if a modification would change the nature of the program, service and/or activity.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(b)(7)

Corrective Action

AA06 - Process for Determining Modifications - Develop a procedure to help determine when modifications will change the nature of the program, service and/or activity.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:

Keynote 4



Location: City Hall
Photo # 1

Field Condition

AA.08 - Written Policies and Procedures - Written policies and procedures have not been reviewed to avoid discrimination due to a disability.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(b)(7)

Corrective Action

AA08 - Written Policies and Procedures - Review policies and procedures to ensure non discrimination on the basis of disability.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 5



Location: City Hall
Photo # 1

Field Condition

AA.09 - Emergency Evacuation Plan Procedures - An emergency evacuation plan with procedures for persons with a disability is not available.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(b)(7)

Corrective Action

AA09 - Emergency Evacuation Plan Procedures - Establish and make available an emergency evacuation plan with procedures for persons with disabilities.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low to Moderate

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By

Keynote 6



Location: City Hall
Photo # 1

Field Condition

AC.02 - Visually Communicated Materials - Content of visually communicated materials is not available in a simple and easy to understand language for persons with learning disabilities.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(a)(1)

Corrective Action

AC02 - Visually Communicated Materials - Make available content of visually communicated materials in a simple and easy to understand language for persons with learning disabilities.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 7



Location: City Hall
Photo # 1

Field Condition

AC.03 - Public Notices and Agendas - Public notices and agendas are not available for viewing in alternative formats within a reasonable time period.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(b)(2)

Corrective Action

AC03 - Public Notices and Agendas - Make available public notices and agendas in alternative formats within a reasonable time period.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:

Keynote 8



Location: City Hall
Photo # 1

Field Condition

AC.05A - Communications Aids or Services - There are no communications aids or services that are provided upon request.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(b)(2)

Corrective Action

AC05A - Communication Aids or Services - Develop a procedure for communications aids or services to be provided upon request.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 9



Location: City Hall
Photo # 1

Field Condition

AC.05C - Auxiliary Aid or Service Procedure - There is no procedure to deciding which auxiliary aid or service is provided.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(b)(2)

Corrective Action

AC05C - Auxiliary Aid or Service Procedure - Establish a procedure to determine the type of auxiliary aids or services provided.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:

Keynote 10



Location: City Hall
Photo # 1

Field Condition

AC.06B - Teletypewriter (TTY) Device - The program, service, and/or activity does not have a Teletypewriter (TTY) Device.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.161(a)

Corrective Action

AC06B - Teletypewriter (TTY) Device - Provide a Teletypewriter (TTY) Device.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$3,600
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Moderate to High

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 11



Location: City Hall
Photo # 1

Field Condition

AC.06C - Teletypewriter (TTY) Device Training - The staff is not trained in the use of the Teletypewriter (TTY) Device.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.161(a)

Corrective Action

AC06C - Teletypewriter (TTY) Device Training - Train staff members and inform volunteers on the use of the Teletypewriter (TTY) Device.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:

Keynote 12



Location: City Hall
Photo # 1

Field Condition

AC.07A - Telephone Access to Emergency Services - The programs, services, and/or activities do not provide telephone access to emergency services.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.162

Corrective Action

AC07A - Telephone Access to Emergency Services - Develop a plan to provide telephone access to emergency services.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 13



Location: City Hall
Photo # 1

Field Condition

AC.07B - Teletypewriter (TTY) Device Access to Emergency Number(s) - The program, service, and/or activity does not provide direct Teletypewriter (TTY) Devices to emergency number(s).

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.162

Corrective Action

AC07B - Teletypewriter (TTY) Device Access to Emergency Number(s) - Provide a direct Teletypewriter (TTY) Device to emergency number(s).

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$3,600
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Moderate to High

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:

Keynote 14



Location: City Hall
Photo # 1

Field Condition

AC.08 - Activated Alarm Awareness - There is no means of assuring that persons with auditory disabilities are made aware of an activated alarm.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(b)(2)

Corrective Action

AC08 - Activated Alarm Awareness - Develop a plan to ensure persons with auditory disabilities are made aware of an activated alarm.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: A
 Level of Difficulty: Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rclds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 15



Location: City Hall
Photo # 1

Field Condition

AD.01 - Accessible Web Pages - Department policies do not establish that web pages made available to the public will be accessible.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	36 CFR 1194.2

Classification

DOJ Location Type: 2

Use: PV

Severity: C

Level of Difficulty Low

Corrective Action

AD01 - Accessible Web Pages - Revise department policies to establish that web pages made available to the public will be accessible.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of: 1 EA

Total Cost \$0

Funding Received \$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Implementation

Plan Nbr: DBB

Priority:

Planned Completion 6/30/2019

Status Not Complete As of 05/09/2013

Reported By

Keynote 16



Location: City Hall
Photo # 1

Field Condition

AE.02 - Staff Awareness - Enabling Participation - Staff members who have contact with members of the public, including persons with a disability, are not aware of the department's obligations and policies that enable participation in the department's programs, services and/or activities.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(b)(7)

Classification

DOJ Location Type: 2

Use: PV

Severity: C

Level of Difficulty Low

Corrective Action

AE02 - Staff Awareness -Enabling Participation - Inform staff members who have contact with members of the public, including persons with a disability, of the department's obligations and policies that enable participation in the department's programs, services and/or activities.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of: 1 EA

Total Cost \$0

Funding Received \$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Implementation

Plan Nbr: DBB

Priority:

Planned Completion 6/30/2019

Status Not Complete As of 05/09/2013

Reported By



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 17



Location: City Hall
Photo # 1

Field Condition

AE.03 - ADA Training - Staff members who have contact with members of the public, including persons with a disability, have not been informed or trained about the basis of the ADA.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	

Classification

DOJ Location Type: 2

Use: PV

Severity: C

Level of Difficulty: Low

Corrective Action

AE03 - ADA Training - A qualified trainer will train staff members and volunteers will be informed about the basis of the ADA.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of: 1 EA

Total Cost: \$0

Funding Received: \$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Implementation

Plan Nbr: DBB

Priority:

Planned Completion: 6/30/2019

Status: Not Complete As of 05/09/2013

Reported By

Keynote 18



Location: City Hall
Photo # 1

Field Condition

AE.04 - Effective Communication Training - Staff members who have contact with members of the public, including persons with a disability, have not been trained on effective means of communication, including the use of auxiliary aids and services.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(a)(1)

Classification

DOJ Location Type: 2

Use: PV

Severity: C

Level of Difficulty: Low to Moderate

Corrective Action

AE04 - Effective Communication Training - Train staff members and inform volunteers about effective means of communication, including the use of auxiliary aids and services.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of: 1 EA

Total Cost: \$0

Funding Received: \$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Implementation

Plan Nbr: DBB

Priority:

Planned Completion: 6/30/2019

Status: Not Complete As of 05/09/2013

Reported By



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 19



Location: City Hall
Photo # 1

Field Condition

AE.05 - Interaction and Integration Encouragement - Staff members who have contact with members of the public, including persons with a disability, have not been trained to encourage the interaction and integration of persons with disabilities into programs provided to the general public, appropriate to a

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(d)

Corrective Action

AE05 - Interaction and Integration Encouragement - Train staff members and inform volunteers on methods to encourage interaction and integration of persons with disabilities into programs provided to the general public, appropriate to a person's level of need.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty: Low to Moderate

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By

Keynote 20



Location: City Hall
Photo # 1

Field Condition

AE.10A - Emergency Services Staff - Hearing Disabilities - The staff members who provide emergency services to the public are not trained in other means of communication with persons with hearing disabilities.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(a)

Corrective Action

AE10A - Emergency Services Staff - Hearing Disabilities - Train staff members who provide emergency services to the public and inform volunteers on other means of communication with persons with hearing disabilities.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low to Moderate

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 21



Location: City Hall
Photo # 1

Field Condition

AE.10B - Emergency Services Staff - Visual Disabilities - The staff members who provide emergency services to the public are not trained in other means of communication with persons with visual disabilities.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(a)

Corrective Action

AE10B - Emergency Services Staff - Visual Disabilities - Train staff members who provide emergency services to the public and inform volunteers on other means of communication with persons with visual disabilities.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low to Moderate

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:

Keynote 22



Location: City Hall
Photo # 1

Field Condition

AE.10C - Emergency Services Staff - Learning Disabilities - The staff members who provide emergency services to the public are not trained in other means of communication with persons with learning disabilities.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.160(a)

Corrective Action

AE10C - Emergency Services Staff - Learning Disabilities - Train staff members who provide emergency services to the public and inform volunteers on other means of communication with persons with learning disabilities.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: B
 Level of Difficulty: Low to Moderate

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion: 6/30/2019
 Status: Not Complete As of 05/09/2013
 Reported By:



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 23



Location: City Hall
Photo # 1

Field Condition

AE.11 - Complaint of Non-Compliance - Staff members are not aware of what to do if a complaint alleging non-compliance is received.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.171

Corrective Action

AE11 - Complaint of Non-Compliance - Inform staff members and volunteers of what to do if a complaint alleging non-compliance is received.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV

Severity: C

Level of Difficulty: Low to Moderate

Implementation

Plan Nbr: DBB

Priority:

Planned Completion: 6/30/2019

Status: Not Complete As of 05/09/2013

Reported By

Keynote 24



Location: City Hall
Photo # 1

Field Condition

AF.01 - Contractor/Consultant Awareness - Title II Requirements - Contractors/Consultants are not aware of the requirement to meet the fulfillment of Title II nondiscrimination and access requirements.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(a)

Corrective Action

AF01 - Contractor/Consultant Awareness - Title II Requirements - Add appropriate language to contracts to inform Contractors/Consultants of the requirement to meet the fulfillment of Title II nondiscrimination and access requirements.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV

Severity: C

Level of Difficulty: Low

Implementation

Plan Nbr: DBB

Priority:

Planned Completion: 6/30/2019

Status: Not Complete As of 05/09/2013

Reported By



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 25



Location: City Hall
Photo # 1

Field Condition

AF.02 - Contracted Services in Non-Discriminatory Manner - Contractors/Consultants are not notified of the responsibilities for providing contracted services in a non discriminatory manner.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	28 CFR 35.130(b)(5)

Corrective Action

AF02 - Contracted Services in Non-Discriminatory Manner - Advise organizations and add appropriate language to contracts of the responsibilities for providing contracted services in a nondiscriminatory manner.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion 6/30/2019
 Status Not Complete As of 05/09/2013
 Reported By

Keynote 26



Location: City Hall
Photo # 1

Field Condition

AD.02A - Ensuring Accessible Web Pages - A process is not in place to ensure that all new and modified web pages and content are accessible.

Existing Condition:

1991 ADAAG	-
2004 ADAAG	-
2007 CBC	-
Other	36 CFR 1194.2

Corrective Action

AD02A - Ensuring Accessible Web Pages - Establish a process to ensure that all new and modified web pages and content are accessible.

Additional Comments: Absorb corrective action costs with operations.

Costs and Funding

Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0

Status Update (check one)
 Completed In Progress Not Complete As of _____ By _____

Classification

DOJ Location Type: 2

Use: PV
 Severity: C
 Level of Difficulty Low

Implementation

Plan Nbr: DBB
 Priority:
 Planned Completion 6/30/2019
 Status Not Complete As of 05/09/2013
 Reported By



City of Rancho Palos Verdes
Rancho Palos Verdes ADA Assessment
Facility Report with Photos



Reporting: 27 of 4367 Rcds

Program ID: # SE - Public Works

Author: Vaish, B

Keynote 27



Location: City Hall
Photo # 1

Field Condition	
AE.08 - Periodic Training and Updates - Staff members are not provided with periodic training and updates in the availability of auxiliary aids and services, and how to respond to requests for reasonable accommodation.	1991 ADAAG -
Existing Condition:	2004 ADAAG -
	2007 CBC -
	Other 28 CFR 35.160(b)

Classification	
DOJ Location Type:	2
Use:	PV
Severity:	C
Level of Difficulty	Low to Moderate

Corrective Action
AE08 - Periodic Training and Updates - Provide staff members with periodic training and updates on the availability of auxiliary aids and services, and how to respond to requests for reasonable accommodation.
Additional Comments: Absorb corrective action costs with operations.

Costs and Funding	
Qty ...Of:	1 EA
Total Cost	\$0
Funding Received	\$0
Status Update (check one)	
Completed <input type="checkbox"/> In Progress <input type="checkbox"/> Not Complete <input type="checkbox"/> As of _____ By _____	

Implementation	
Plan Nbr:	DBB
Priority:	
Planned Completion	6/30/2019
Status	Not Complete As of 05/09/2013
Reported By	